

MATH 100 – WORKSHEET 15
MINIMA AND MAXIMA

1. ABSOLUTE MINIMA AND MAXIMA BY HAND

(1) Find the absolute maximum and minimum values of $f(x) = |x|$ on the interval $[-3, 5]$.

(2) Find the absolute maximum and minimum of $f(x) = \sqrt{x}$ on $[0, 5]$.

2. LOCAL MINIMA AND DERIVATIVES

Theorem. *If f is continuous on $[a, b]$ it has an absolute maximum and minimum there.*

Theorem (Fermat). *If, in addition, f is defined and differentiable near c (on both sides!) and has a local extremum at c then $f'(c) = 0$.*

Procedure

- The *critical numbers* of f are c such that $f'(c) = 0$ or $f'(c)$ does not exist.
 - To find absolute maximum/minimum of a continuous function f defined on $[a, b]$:
 - Evaluate $f(c)$ at all critical numbers.
 - Evaluate $f(a), f(b)$
 - Choose largest, smallest value
- (1) (Final, 2011) Let $f(x) = 6x^{1/5} + x^{6/5}$.
- (a) Find the critical numbers of f .

(b) Find its absolute maximum and minimum on the interval $[-32, 32]$.

(2) (caution)

(a) Show that $f(x) = (x - 1)^4 + 7$ attains its absolute minimum at $x = 1$.

(b) Show that $f(x) = (x - 1)^3 + 7$ has $f'(1) = 0$ but has no local minimum or maximum there.

(3) (Midterm, 2010) Find the maximum value of $x\sqrt{1 - \frac{3}{4}x^2}$ on the interval $[0, 1]$.

(4) (Final, 2007) Let $f(x) = x\sqrt{3 - x}$.

(a) Find the domain of f .

(b) Determine the x -coordinates of any local maxima or minima of f .