

Math 100 – WORKSHEET 16
MINIMA AND MAXIMA

1. ABSOLUTE MINIMA AND MAXIMA BY HAND

Theorem. *If f is continuous on $[a, b]$ it has an absolute maximum and minimum there.*

(1) Find the absolute maximum and minimum values of $f(x) = |x|$ on the interval $[-3, 5]$.

(2) Find the absolute maximum and minimum of $f(x) = \sqrt{x}$ on $[0, 5]$.

2. DERIVATIVES AND LOCAL EXTREMA

Theorem (Fermat). *If, in addition, f is defined near c (on both sides!), is differentiable at c , and has a local extremum at c then $f'(c) = 0$.*

Procedure

- Call c a *critical point* or *critical number* if $f'(c) = 0$, a *singular point/number* if $f'(c)$ does not exist.
 - To find absolute maximum/minimum of a continuous function f defined on $[a, b]$:
 - Evaluate $f(c)$ at all critical and singular point.
 - Evaluate $f(a), f(b)$.
 - Choose largest, smallest value.
- (3) (Final, 2011) Let $f(x) = 6x^{1/5} + x^{6/5}$.
- (a) Find the critical numbers and singularities of f .

(b) Find its absolute maximum and minimum on the interval $[-32, 32]$.

(4) (Final, 2015) Find the critical points of $f(x) = e^{x^3 - 9x^2 + 15x - 1}$

(5) (caution)

(a) Show that $f(x) = (x - 1)^4 + 7$ attains its absolute minimum at $x = 1$.

(b) Show that $f(x) = (x - 1)^3 + 7$ has $f'(1) = 0$ but has no local minimum or maximum there.

(6) (Midterm, 2010) Find the maximum value of $x\sqrt{1 - \frac{3}{4}x^2}$ on the interval $[0, 1]$.

(7) (Final, 2007) Let $f(x) = x\sqrt{3 - x}$.

(a) Find the domain of f .

(b) Determine the x -coordinates of any local maxima or minima of f .