

University of British Columbia

Math 301

Midterm 1

Date: February 6, 2016

Time: 11:00 - 11:50pm

Name (print):

Student ID Number:

Signature:

Instructor: Richard Froese

Instructions:

1. No notes, books or calculators are allowed.
2. Read the questions carefully and make sure you provide all the information that is asked for in the question.
3. Show all your work. Answers without any explanation or without the correct accompanying work could receive no credit, even if they are correct.
4. Answer the questions in the space provided. Continue on the back of the page if necessary.

Question	Points	Score
1	10	
2	10	
3	10	
4	10	
Total:	40	

1. (a) (5 points) Find all the singular points of $\frac{\tan(\pi z)}{z}$ and classify them as essential, removable or a pole of a certain order. At each pole, find the residue.

- (b) (5 points) Compute

$$\oint_{|z|=1} \frac{\tan(\pi z)}{z} dz$$

where the contour is traversed once counterclockwise.

2. Let

$$I_R = \oint_{|z|=R} \frac{z^2 + 1}{z^2 - 1} \sin(1/z) dz$$

(a) (5 points) Find I_2 (*Hint: use the residue at infinity*).

(b) (5 points) Find $I_{1/2}$ (*Hint: relate $I_{1/2}$ and I_2*).

3. (10 points) Compute the integral

$$I = \int_0^{\infty} \frac{\cos(x) - 1}{x^2} dx$$

Write down the contours used to calculate it. Indicate the estimates you need to complete this calculation, but you need not prove them.

4. (a) (3 points) Write down all the singular points and all the branch points of the multivalued function $\frac{z^\alpha}{1+z^4}$

- (b) (7 points) Calculate the integral

$$I = \int_0^\infty \frac{x^\alpha}{1+x^4} dx$$

Specify the branch of any multivalued function you use and sketch the branch cut, along with the contours you are using. For what (real) values of α is your calculation valid? Give a reason.

[blank page]